

Loline NLL332

The Loline range of low profile floorcare machines has been developed to meet both the growing demand and need for a choice of models that are smaller in size, lighter in weight, compact and convenient in storage whilst, at the same time, being quick and easy to use without loss of performance.

The new Loline rotaries have been designed specifically to meet this demand and raises the handling and performance levels to an exceptional user friendly standard be it for men or women operators.

The smallest model in the Loline range can claim performance characteristics equal to that of bigger, more industrial machines, yet with an ease and speed of operation that will immediately endear it to any operator.

A full range of 33cm (13") brushes and pad drives allows the machine to be used for all of the primary floorcare functions.

Polyscrub
Heavy Duty
Scrubbing
Brush

200rpm

With a total weight of only 18Kg and an operating speed of 200rpm the machine literally exudes convenience and versatility. Fast and user friendly like never before.

NLL332

Full range of brushes and pad drives. See page 12.


Motor	Deck	Brush	Pad	Power	Speed	Range	Weight	Size
400W	330mm	330mm	330mm	230V AC 50Hz	200rpm	32m	18Kgs	1145 x 330 x 540mm

Loline NLL415

With the increasing demand and need for higher standards of cleanliness, the Lolines will put truly useable power in the hands of the operator, yet with a level of convenience that cannot fail to impress and, subsequently, to improve both efficiency and the final results.

The Loline 415 model embodies all of the many unique features of the 332 but is suitable for a range of larger 40cm (16") brushes and 36cm (14") floor pads.

With this machine running at an operating speed of 150rpm it is a genuine taskmaster, satisfying a whole host of floor maintenance needs, be it polishing or scrubbing.



NLL415




150 rpm

Polyscrub Heavy Duty Scrubbing Brush

The exceptional ease of use cannot fail to impress any user, and even more so where extended operating hours are part of the daily routine.

The solution tank system allows for easy use and compact storage, whilst its unique universal filling system adds further to operator convenience.



Full range of brushes and pad drives. See page 12.

Motor	Deck	Brush	Pad	Power	Speed	Range	Weight	Size
400W	400mm	400mm	360mm	230V AC 50Hz	150rpm	32m	18.5Kgs	1145 x 360 x 540mm

MultiDeck BMD450

The Multideck 450 rotary machine is sound, well engineered, basic floor maintenance... everything that you would expect from a machine tried, tested and still going from strength to strength after 20 years.

Whether you want to polish, scrub, shampoo or strip... or a little of all of these... be it with brushes or pads, just select the specification to suit your needs and let the machine do the rest, not just today and tomorrow but year after year... a truly sound professional basis to any floor maintenance programme.

As with all our floor machines there is an extensive selection of accessories to cover a range of applications from carpet shampooing to floor grinding and scarifying.

As the "Multideck" name suggests there are additional deck sizes available, a smaller 400mm and a larger 500mm and a full range of brush accessories to suit, providing exceptional additional scope (see page 12).



Motor	Pad	Brush	Power	Speed	Vacuum	Range	Weight	Size
1000W	400mm	450mm	230V AC 50Hz	S=150rpm M=230rpm H=300rpm	Optional DT130	32m	32Kgs	1185 x 580 x 450mm

Also available in 115V/120V specification.

Photographs may include extra items for illustration purposes only.

Woodworker NAW1000S

Woodworker Airo System

This is the complete package, inclusive of vacuum system, and highly recommended when using the Airo range of floor preparation and maintenance materials.

Floor Machine BMD1000S/450

Dustrol 130 Vacuum system

Airo Disc 400 Drive Board

Additional add on weight

An additional 10Kg weight that can be easily added or removed from the Woodworker machine to provide 30% extra operating performance as and when required. (See pic 3 left)



①




②



③



④



⑤



Airo-Pol (pack of 5)

Once the sanding process is complete, wood floors may be polished to an exceptional standard by a selection of high performance polishing discs, available in four grades starting at 600 grade - the first stage polishing treatment, followed by Ultra fine 1500, 1800 and 2000 grade pads.

Airo Dust (pack of 5)

Even with a vacuum sanding machine such as the Woodworker Airo, ultra fine dust can remain in cracks and crevices. Prior to the application of your preferred final floor finish, polish the floor surface with a white Airo Dust floor duster, this has an almost magnetic effect, seeking out and retaining dust particles wherever they may be hiding. This process provides the most dust free surface possible preparing the floor for the application of your final treatment.

Airo-Prep (pack of 5)

A green coloured, coarse abrasive pad used prior to sanding in order to remove old wax, oil or polish residue from the floor surface. Omitting the Airo-Prep stage and using Airo sanding discs as a form of wax removal will allow a detrimental coating and clogging to form on the sanding disc surface and lessen the disc and vacuum performance.

Airo Sand (pack of 10 per grit size)

A range of six perforated Airo Sanding discs to provide for a step by step approach to preparing a wood floor surface. Available in a range of 40/60/80/100/120/150 grit specifications.

* Note All Airo discs, pads or dusters must be used with the Airo disc 400 drive board not the Nuloc pad drive.

Motor	Disc	Brush	Power	Speed	Vacuum	Range	Weight	Size
1000W	450mm	400mm	230V AC 50Hz	150rpm	DT130	32m	32Kgs	1185 x 580 x 450mm

NuSpeed NR1500 S&H

The Nuspeed 1500 is a new generation of floor maintenance machines which is only made possible by a new drive system introducing a dramatic 50% increase in power output.

The unique Nuspeed design concept means that for a machine of such compact proportions, an increase to 40kg in the operating weight can be achieved within the standard specification, with an optional additional 10kg if required... it has the power and weight that do the work and produce the results.

In addition to the power and performance many extra operating features have been added making this machine perhaps one of the most user friendly, hard working professionals in the Floorcare business.

The Nuspeed series is now equipped as standard with performance enhancing "A.T.C.", Automatic Torque Control. A unique system that monitors operation and boosts torque, as required, to provide consistent performance under varying load conditions.

For polishing applications the NR1500 is also available in a 300rpm specification which is supplied with a Flexi Pad Drive system as standard. For brush applications select from the standard range see page 13 & 14.



S= 150rpm
H= 300rpm

NR1500S

NR1500H

Model	Motor	Pad	Brush	Power	Speed	Vacuum	Range	Weight	Size
NR1500S	1500W	400mm	450mm	230V AC 50Hz	150rpm	Optional DT130	32m	40Kgs	1250 x 580
NR1500H					300rpm			35Kgs	x 460mm

NuSpeed NRL1500

When it comes to large areas of floor maintenance or restoration there is no substitute for both size and weight.

The NRL uses a range of 550mm brushes or 500mm floor pads and is supplied as standard in a 40kg specification and fitted with the Automatic Torque Control System designed to give constant performance under even the most arduous conditions.

In the standard 150rpm specification the NRL is a genuine 'workhorse' which, by virtue of its size, weight and drive system, will exhibit excellent handling characteristics in the majority of applications.

The Nuspeed series is now equipped as standard with performance enhancing "A.T.C", Automatic Torque Control. A unique system that monitors operation and boosts torque, as required, to provide consistent performance under varying load conditions.

The 'snap-on' 10kg standard weight can be easily removed, and replaced as required to suit various applications.

Fast and user friendly like never before.



NRL1500

Motor	Pad	Brush	Power	Speed	Vacuum	Range	Weight	Size
1500W	500mm	550mm	230V AC 50Hz	150rpm	Optional DT130	32m	40Kgs	1250 x 610 x 540mm

NuSpeed Twin NRT1530

A true 2 x 2 of the Floorcare business with a hi-range and lo-range drive system allowing an instant selection of speed between 150rpm and 300rpm to suit the need of the operator and a full 40kg professional operating weight as standard.

The twinspeed function is particularly useful for those many applications where one machine must satisfy many different requirements within the working day and with the very real advantage of compact storage when not in use.

The Nuspeed series is now equipped as standard with performance enhancing "A.T.C", Automatic Torque Control. A unique system that monitors operation and boosts torque, as required, to provide consistent performance under varying load conditions.



If scrubbing large areas is the need at one particular time, you switch to lo-range 150rpm but, conversely, when floor polishing is the requirement then the hi-range setting doubles the speed, doubles the results and halves the polishing time.

and performance and shares all the many professional features of the Nuspeed range.



An extensive range of accessories is available including solution tank and Dustrol vacuum systems as shown, all adding to the exceptional



versatility of this design.

Our Flexi Pad Drive * system is supplied as standard for 300rpm use. For brush applications select from our standard range see page 14.

Motor	Pad	Brush	Power	Speed	Vacuum	Range	Weight	Size
1000W/ 1250W	400mm	450mm	230V AC 50Hz	150rpm 300rpm	Optional DT130	32m	40Kgs	1250 x 580 x 460mm

*

NuSpeed Spraytec NRS450

The majority of floor preparation and maintenance programmes require a machine with the optimum balance between weight and speed to achieve the desired results.

The Nuspeed NRS450 running at 450rpm and with an increased operating weight of 35Kg has been designed to provide a professional answer to applications where spray buffing is the obvious and cost effective solution to maintaining floors to a higher visual standard which is often the need in high profile environments.

The Nuspeed series is now equipped as standard with performance enhancing "A.T.C", Automatic Torque Control. A unique system that monitors operation and boosts torque, as required, to provide consistent performance under varying load conditions.

When equipped with our spraykit this machine will provide a fully integrated system that is not only user friendly but equally floor friendly, both getting exactly what is required – ease of handling on the one hand and an excellent floor finish on the other.

Spraytec system will provide, long and reliable service and results you will be proud of.



All NRS-450s are supplied as standard with our Spider Pad Drive. For brush applications select from our standard range see pages 13 & 14.

Motor	Pad	Brush	Power	Speed	Vacuum	Range	Weight	Size
1500W	400mm	450mm	230V AC 50Hz	450rpm	Optional DT130	32m	35Kgs	1250 x 580 x 460mm

NuSpeed Ultra NRU1500

The Nuspeed Ultra is unique in many respects providing a burnishing machine that automatically adjusts to varying floor conditions whilst in use and that can be easily manoeuvred in even the most restricted areas.

If it's high lustre polish or wet look surfaces you are after then look no further. The Ultraflo' incorporates our unique automatic floating head pad drive allowing a totally consistent performance between pad and floor and, by virtue of the increased power and pad pressure applied, a significant advance in the surface temperature is achieved substantially improving the polishing results.

The Nuspeed series is now equipped as standard with performance enhancing "A.T.C", Automatic Torque Control. A unique system that monitors operation and boosts torque, as required, to provide consistent performance under varying load conditions.

This machine will also be very well received in the many congested applications as its functional characteristics are totally neutral allowing effortless operation and control even in the most confined of locations.

The Dustrol vacuum system can easily be retrofitted providing an exceptional vacuuming/polishing combination resulting in not only highly polished but also fully vacuumed floors... doing two jobs at once really does make sound economic sense!



Motor	Deck	Pad	Power	Speed	Vacuum	Range	Weight	Size
1500W	400mm	400mm	230V AC 50Hz	1500rpm	Optional DT130	32m	32Kgs	1250 x 660 x 460mm

Loline 332/415 Accessory

p3/4



1

FMA-606101 NLL Solution Tank

NLL415 Accessories

p3/4



6

FMA-606102 400mm Union Mix Polish Brush



7

FMA-606108 400mm Nyloscrub Brush



12

FMA606055 BMD Dustrol Kit (Grey)



13

FMA606615 BMD Optional Spraytec Kit

NLL332 Accessories

p3/4



2

FMA-606104 330mm Union Mix Polish Brush



3

FMA-606556 330mm Nyloscrub Brush




4

FMA-606033 330mm Polyscrub Brush



5

FMA-606111 330mm Nuloc Pad Drive Board



8

FMA-606105 400mm Polyscrub Brush



9

FMA-606112 360mm Nuloc Pad Drive Board

Floorcare Accessories

p5



10

FMA606890 BMD Solution Tank



11

FMA606077 BMD 10Kg Weight



14

FMA606360 BMD Optional 400mm Brush Deck



15

FMA606361 BMD Standard 450mm Brush Deck



16

FMA606362 BMD Optional 500mm Brush Deck